

DIRECT VENT GAS FIREPLACES

QUADRA-FIRE[®]
NOTHING BURNS LIKE A QUAD



BOLD PERFORMANCE

DIRECT VENT GAS FIREPLACES



qv32a

Page 2-3

32" wide fireplace—perfect for bedrooms or smaller areas



qv36a

Page 2-3

36" wide fireplace—a great size for most living spaces



qv36da

Page 4

36" wide fireplace with extra depth—roomier firebox with more flames and heat



EXPRESSION 36

Page 8

36" wide premium fireplace—highest efficiency and most authentic design



YOUR FIRE. YOUR HEAT. YOUR WAY.

Enjoy just the right amount of warmth.

It's easy to add a Quadra-Fire gas fireplace and get just **the heat you need** while the glowing coal bed and realistic logs give you the feel of a traditional wood fire.

Unlike other decorative fireplaces, Quadra-Fire heater-rated gas fireplaces are **built to be used every day of the week**, even in a power outage.





HOW WILL YOU LIGHT YOUR FIRE?

CONTROLS FOR THE WAY YOU LIVE

Recreational Heat—you want to have the fire when you're in the room. When you leave the room, turn off the fireplace with the **flick of a switch**. Any household wall switch will work. To save more energy use a motion detector switch.*

Zone Heat—you want a little added heat whether you're in the room or not. Use a **wall thermostat** to make sure an area in your home doesn't get too cool.

Spontaneous Fire—not sure when you might want a fire? Use a **remote control** to have your fire always within reach.



* Available from most home supply stores



qv32a/qv36a

BEDROOM.
LIVING ROOM.
ANY ROOM.

Pick from the 32" or 36" size to best fit your room. Both sizes give you the benefit of an authentic controllable fire.

BOTH FIREPLACES HAVE:

- High efficiency sealed combustion design
- Heat reflecting herringbone brick firebox
- Durable fire grate, burner and logs
- Reliable controls and safety pilot system
- Adjustable flame for heat management
- Accessible dashboard controls

ALSO ADD:

- Wall thermostat for zone heating
- Hand-held remote control
- Adjustable convection blower for comfortable heat circulation

FIREPLACE FRONT & DOOR DESIGN:

Turn to pages 6 & 7 for complete selection

COMFORTABLE HEAT

Quadra-Fire gas fireplaces are efficient area heaters. These estimates are based on general U. S. geographic climate zones, 8-foot ceilings and energy efficient home construction.

qv32a (NG)

- Zone 1up to 800 sq. ft.
- Zone 2up to 900 sq. ft.
- Zone 3up to 1,000 sq. ft.
- Zone 4up to 1,200 sq. ft.

qv36a (NG)

- Zone 1up to 900 sq. ft.
- Zone 2up to 1,100 sq. ft.
- Zone 3up to 1,200 sq. ft.
- Zone 4up to 1,400 sq. ft.

Find your zone and LP on the back cover

qv32a with Remington Avenue front in vintage copper

Operable doors

Optional Sun Prairie and Chapel Hill fronts both offer operable doors for an unobstructed view of the fire.



Authentic Fire

Enjoy a fire every day. Ceramic split style logs and realistic ceramic burner help give a traditional fireplace glow.



Control Panel

A fold-down panel covers the dashboard control panel. Adjust the flame height and optional convection blower speed from here.






LARGER HEARTH AREA

36" WIDE FIREPLACE


Great for living rooms, family rooms and basements



SMALLER HEARTH AREA

32" WIDE FIREPLACE

Great for bedrooms, game rooms and home offices



qv36a with Sun Prairie front in classic black



Accent Your Home

The twisted iron frame on the Chapel Hill front complements many of today's lighting, hardware and home furnishings elements



Authentic Accents

The heavy gauge steel fire grate and cast andirons appear to hold the burning logs and coal bed safely in place.



Fire at Your Fingertips

Add an optional remote control—have wireless access to an instantly cozy atmosphere.



qv36da

GREAT ROOM. LIVING ROOM. FAMILY ROOM.

Upgrade your living room or family room with an authentic deep-box fireplace. The qv36da is designed to give you control over your environment, with a realistic flame that can be adjusted from subtle to dramatic.

YOUR qv36da COMES WITH:

- Sealed combustion design to improve efficiency
- Herringbone brick firebox reflects heat outward and adds authenticity
- Durable firegrate, burner and logs
- Safety pilot system for reliable heat on demand, even in a power outage

ALSO ADD:

- Heat Zone® kit for better heat distribution
- Wall thermostat for consistent comfort
- Remote control for convenient control
- Adjustable convection blower to circulate heat

FIREPLACE FRONT & DOOR DESIGN:

Turn to pages 6 & 7 for complete selection

COMFORTABLE HEAT

Depend on Quadra-Fire to heat your home efficiently. These estimates are based on general U. S. geographic climate zones, 8-foot ceilings and efficient home construction.

qv36da (NG)

- Zone 1up to 1,400 sq. ft.
- Zone 2up to 1,600 sq. ft.
- Zone 3up to 1,800 sq. ft.
- Zone 4up to 2,000 sq. ft.

Find your zone and LP on the back cover



CONTROL YOUR CLIMATE


The qv36da is a high performance, high efficiency heating machine, capable of keeping multiple rooms warm and toasty. Add one or two **optional Heat Zone® kits** to pipe the heat where you want it.

The climate control lever gives you even more control, allowing you to exhaust some of the heat when you don't need it.

qv36da with Chapel Hill front in hammered pewter



Optional Heat Zone kit



CLIMATE CONTROL LEVER

Fireplace lower left corner

FRONT OPTIONS qv32a/qv36a/qv36da



Chapel Hill
American Traditional.
Shown in vintage copper



Sun Prairie
Cozy Country.
Shown in classic black



Town Square
Vintage Mission.
Shown in classic black



Sonoma Valley
Gorgeous Grapes.
Shown in hammered pewter

FIREPLACE FURNISHINGS

Complement your home with durable steel fronts. These fronts and doors fit the qv32a, qv36a and qv36da fireplaces. See the table to the right for availability.

QUADRA-FIRE FIREPLACE FRONTS KEEP YOU WARM AND SAFE

Gas fires are very hot. The ceramic glass that seals the firebox can reach temperatures in excess of 500° F. All Quadra-Fire gas fireplace fronts come with a child safety screen to help protect against accidental contact.



Grecian Garden
Acanthus Leaf.
Shown in hammered pewter




Remington Avenue
Modern Metropolitan.
Shown in hammered pewter



Harmony Hall
Casual Contemporary.
Shown in classic black

Available Finishes



Classic black



Hammered pewter



Vintage copper

AVAILABLE FINISHES

Front	qv32a			qv36a/qv36da		
	Classic Black	Hammered Pewter	Vintage Copper	Classic Black	Hammered Pewter	Vintage Copper
Chapel Hill	X	X	X	X	X	X
Grecian Garden	X	X	X	X	X	X
Remington Avenue	X	X	X	X	X	X
Sun Prairie	X			X		
Town Square	X				X	
Sonoma Valley				X	X	X
Harmony Hall	X			X		



Expression 36

**MAXIMUM EFFICIENCY
MAXIMUM CONTROL.**

Our exclusive FireBrick® material creates the look of an authentic masonry fireplace, while efficiently reflecting the warmth out into your room where you want it. The pilot lights instantly when needed, saving money and natural resources.

FULLY LOADED WITH FEATURES:

- FireBrick technology
- IntelliFire™ wall control
- Flame enhancing lights
- Convection blower
- Decorative andirons and fire grate

ALSO AVAILABLE:

- Heat Zone kit to heat additional rooms

COMFORTABLE HEAT

Depend on Quadra-Fire to heat your home efficiently. These estimates are based on general U. S. geographic climate zones, 8-foot ceilings and efficient home construction.

Expression 36 (NG)

- Zone 1up to 1,300 sq. ft.
- Zone 2up to 1,500 sq. ft.
- Zone 3up to 1,700 sq. ft.
- Zone 4up to 1,900 sq. ft.

Find your zone and LP on the back cover



AVAILABLE FRONTS



Grecian Garden shown in black. Also available in hammered pewter and vintage copper.



Mission Hill shown in vintage copper. Also available in black and hammered pewter



Chapel Hill shown in hammered pewter. Also available in black and sienna bronze



Tudor Panel shown in black with antique pewter accents. Also available in black, sienna bronze and sienna bronze with antique copper accents.




Tuscan Bar shown in sienna bronze with antique copper bars and brackets. Also available in black with antique pewter bars and brackets.



Harmony Hall available only in black


Available Finishes




Classic black



Sienna bronze



Hammered pewter



Antique pewter



Vintage copper



Antique copper




Expression 36 shown with Mission Hill front in hammered pewter

WHAT IS FIREBRICK®


Most Quadra-Fire fireplaces are built with a metal firebox. However, the Expression 36 firebox is molded with our patented FireBrick technology. FireBrick material provides excellent insulation and heat retention, focusing the heat out into the room, where you want it. You get a larger viewing area, more flame, and greater efficiency. Plus, the seamless brick pattern gives the appearance of a masonry fireplace.




QUADRA-FIRE
FireBRICK
Think Outside the Box

	DIMENSIONS									
	Height		Front Width		Back Width		Depth		Glass Area	Btu/Hour Input
	Actual	Framing	Actual	Framing	Actual	Framing	Actual	Framing		
qv32a	32-9/16	34-3/4	36	37	25-3/4	37	15-7/8	16-1/4	550 sq. in.	NG 17,000 – 28,000 LP 15,000 – 26,300
qv36a	37-7/8	38-1/4	40-7/8	42	30-3/4	42	15-7/8	16-1/4	750 sq. in.	NG 20,500 – 30,000 LP 15,800 – 28,000
qv36da	38	38-1/2	41-1/8	42	28-1/2	42	21-1/2	22	750 sq. in.	NG 26,000 – 40,000 LP 22,500 – 36,000
Expression 36	52	52-1/2	41	41-1/2	31-3/8	41-1/2	17-1/4	17-1/4	700 sq. in.	NG 24,000 – 37,000 LP 26,000 – 36,000

Dimensions above are in inches. Reference dimensions only. Product installation must adhere strictly to instructions shipped with the product. We recommend measuring individual units at installation. Assumes the use of 1/2" drywall. NOTE: Combustible material should not be installed over the face. Make sure you do NOT cover the decorative door opening.

	SPECIFICATIONS						
	Firebox Depth	Efficiencies*			Weight	Vent Size Top	Vent Size Rear
		Thermal	AFUE	Canadian EnerGuide			
qv32a	16-1/4"	NG: up to 78% LP: up to 78%	NG: 73.60% LP: 74.57%	NG: 65.35% LP: 67.72%	103 lbs.	4" x 6-5/8"	5" x 8"
qv36a	16-1/4"	NG: up to 78% LP: up to 78%	NG: 73.60% LP: 64.89%	NG: 67.69% LP: 61.96%	136 lbs.	4" x 6-5/8"	5" x 8"
qv36da	21-1/2"	NG: up to 78% LP: up to 78%	NG: 71.66% LP: 66.82%	NG: 66.29% LP: 68.03%	167 lbs.	5" x 8"	5" x 8"
Expression 36	16-1/4"	NG: up to 82% LP: up to 82%	NG: 75.53% LP: 72.63%	NG: 67.23% LP: 67.19%	170 lbs.	5" x 8"	5" x 8"

CLIMATE ZONE MAP



Zone 1
Zone 2
Zone 3
Zone 4

Heating Capacity by Climate Zone*

Fireplace		Zone 1	Zone 2	Zone 3	Zone 4
qv32a	NG	800	900	1,000	1,200
	LP	700	800	900	1,100
qv36a	NG	900	1,100	1,200	1,400
	LP	800	900	1,000	1,200
qv36da	NG	1,400	1,600	1,800	2,000
	LP	1,100	1,300	1,500	1,700
Expression 36	NG	1,300	1,500	1,700	1,900
	LP	1,200	1,400	1,600	1,800

Measurements in square feet.

Refer to the Owner/Installation Manual for complete clearance requirements and specifications. The flame and ember appearance may vary based on the type of fuel burned and the venting configuration used. Product specifications are not complete and are subject to change without notice. The images and descriptions in this brochure are provided to assist you in product selection only. Actual product appearance, including flame, may differ from product images.

* Heating capacity may differ due to climate, building construction, location of the unit, and comfort level desired.

Available From:

The strongest in the industry, Quadra-Fire provides a limited lifetime warranty on gas-burning products for their most important aspects: firebox and heat exchanger.

For full warranty details go to www.quadrafire.com



Visit our Web site at www.quadrafire.com

Quadra-Fire is a registered trademark of Hearth & Home Technologies Inc. Product specifications and pricing subject to change without notice. All Quadra-Fire gas appliances shown are listed to ANSI standards Z21.88 • CSA2.33 for "Vented Gas Appliance Heaters" and applicable sections of "Gas Burning Heating Appliances for Manufactured Homes and Recreational Vehicles", and "Gas Fired Appliances for Use at High Altitudes." UL approved to UL307B.

